

20 DP Detailed Summary Changes

DP APPLICATION DETAILED SUMMARY

Newport Village Courtenay Development's DP Application complies with the City of Courtenay's development permit guidelines and the updated Zoning Amendment bylaw No. 3030 for Comprehensive Development Twenty- Six A (CD-26A) to facilitate multi residential development.

As a result of consultant coordination Newport Village Courtenay Development's Architectural elements still comply with CD-26A with the following divergence and reasons:

- 1) The Parkade changes complies with all bylaw zoning setbacks on all sides.
- 2) The Building changed since parkade staircase #2 was relocated
 - i) The length of building changed from 129.31 feet to 129.97 feet
 - ii) The width of the building remained unchanged
 - iii) The height of the building changed from 16.42m to 16.72m measured from sidewalk at 13.70m
 - iv) The 5th floor roof changed from 15.95m to 17.00m from setback
 - v) The upper level privacy screens are all aluminum with glass.
 - vi) The Building complies with all bylaw zoning setbacks on all sides as well as height.
- 3) The Site plan changed for the following reasons.
 - i) Building 3 south entrance is level with road and parking for disabled entry.
 - ii) Building 3 requires 52 parking stalls with 45 in parkade and 7 on the surface.
 - iii) All Buildings surface parking stalls counts are provided, as required with site plan.
 - iv) The site plan complies CD-26A

Attachment A

Part 53 - Comprehensive Development Twenty-Six A Zone (CD- 26A) (3040 Kilpatrick Ave.)

8.53.13 Intent

The CD-26A Zone is intended to accommodate a multi residential development on the property legally described as Lot 1, Section 67, Comox District, Plan EPP79267 Except Air Space Plan EPP81977. This property shall be developed substantially in accordance with Schedules A, B, and C, which form part of this zone

8.53.14 Permitted Uses

The following uses are permitted and all other uses are prohibited except as otherwise noted in this bylaw:

- (1) *Multi Residential*
- (2) *Home Occupation*

8.53.15 Lot Coverage

A *lot* shall not be covered by buildings to a greater extent than 20% of the total area of the *lot*

8.53.16 Floor Area Ratio

The maximum *floor area ratio* shall not exceed 0.82

8.53.17 Minimum Lot Size

A *lot* shall have an area of not less than 0.40 hectares

8.53.18 Minimum Lot Frontage

A lot shall have a *frontage* of not less than 60.0 m

8.53.19 Setbacks

Except where otherwise specified in this bylaw the following minimum *building setbacks* shall apply:

- (1) *Front Yard*: 7.5 m for that portion of a building with a height less than 11.5 m and for railings above and affixed to said portion
17.0 m for that portion of a building with a height greater than 11.5 m
Despite the required *front yard setbacks* above, architectural fence details may project into the front yard setback up to 1.5 m with a height up to 2.0 m
- (2) *Rear Yard*: 18.0 m except for underground parking structures which shall be at least 14.0 m

- (3) *Side Yard*: 9.5 m north side except for underground parking structure which shall be at least 6.5 m
13.0 m south side

8.53.20 Height of Buildings

Maximum *building height* shall be in accordance with Schedule B and includes the elevator and roof top mechanical systems. Maximum *building height* is 15.0 m to roof parapet and 17.0 m to top of elevator measured from curb height. For clarity, the curb height is determined as the average curb height along the lot frontage

8.53.21 Useable Open Space

Useable open space must be provided and include at minimum:

- (1) 70 m² play area as shown in Schedule A
- (2) 250 m² rooftop amenity area
- (3) Patios or balconies for averaging 9 m² per unit, with a minimum size of 4.5 m²

8.53.22 Off-Street Parking and Loading

Off-street parking shall be provided and maintained in accordance with the requirements of Division 7 of this bylaw except:

- (1) 52 *parking spaces* shall be provided for 41 dwelling units on the property and corresponding visitor parking
- (2) 33 *parking spaces* shall be provided for 3080 Kilpatrick Avenue commercial and residential use
- (3) Minimum parking stall dimensions are 2.6 m in width and 5.5 m in length for standard stalls
- (4) Minimum aisle width in the underground parking structure can be reduced to 6.7 m in accordance with Schedule C
- (5) Minimum additional space for *parking spaces* and manoeuvring aisles where abutting a wall or building can be reduced in accordance with Schedule C
- (6) No more than 25% of *parking spaces* can be designated as small car *parking spaces*
- (7) Bicycle parking facilities must be provided at a rate of one secure stall per unit

8.53.23 Landscaping and Screening

In addition to the Landscape Requirements identified in Part 14 of this bylaw, the following landscape requirements shall be met:

- (1) A landscaped area of not less than 4.0 m in width shall be provided inside all property lines adjoining residential use and public parkland except reduced widths shown in Schedule A
- (2) Where a *lot* in this zone adjoins a *street*, a landscaped area of at least 7.5 m in width extending along the entire frontage of the property shall be provided inside the property line except reduced widths shown in Schedule A
- (3) Storage areas, garbage and recycling containers shall be screened and gated to a minimum *height* of 2 m by a *landscaping* screen or solid decorative *fence* or a combination thereof.