

CITY OF COURTENAY Planning Services

830 Cliffe Avenue Courtenay, BC, V9N 2J7 Tel: 250-334-4441 Fax: 250-334-4241 Email: planning@courtenay.ca COMPLIANCE CHECKLIST

MULTI RESIDENTIAL DEVELOPMENT PERMIT AREA

The following checklist provides a quick reference for compliance with the guidelines contained within Section 8.5 Multi Residential Development Permit Area of the City of Courtenay Official Community Plan No. 2387, 2005. Applicants are required to complete this checklist and indicate in the comment box how their proposal complies with each development permit guideline. Where an element of the design does not comply with a guideline, a justification stating the divergence and the reason shall be made. A separate sheet may be used to provide comment. **Incomplete forms will result in application delays.**

Project Address: 3040 Kilpatrick Ave, Courtenay			Date: May 31, 2022
Applicant: Glen Smith			Signature:
A. FORM AND CHARACTER	Yes	No	Comment
The design of buildings shall reflect the heritage of the City of Courtenay and the use of materials such as stone, brick, ornamental work and wood with varied details and columns is required. All designs will be assessed to compare the submitted design with these guidelines.	X		The cladding materials of cultured stone and siding for building 3 are the same as those used in building 2 and building 1 providing same guide lines as previous submitted designs.
2. All multi residential projects shall front or appear to front onto abutting roadways. This may be achieved through appropriate treatment of the building exteriors and through the provision of pedestrian entranceways and walkways directly to the street.	X		The project appears to front onto abutting roadways with entrances on three sides. Walkways are on three sides and leading directly to street.
3. Buildings located on corner lots, lots adjacent to a single residential building, and lots next to public open spaces shall be stepped down toward the flanking street, adjacent building, or public open spaces.		X	N/A
4. The design and introduction of a new building type to a residential neighbourhood shall provide harmony and lend continuity to the neighbourhood and should not create excessive disruption of the visual character of the neighbourhood.	X		The new building provides continuity of the existing two buildings in the neighborhood and does not disrupt the visual character of the surrounding area.
5. The design of a new project or an addition to an existing project shall be based on a comprehensive design concept and shall give adequate attention to the general architectural style, detailing, scale, materials, character of fenestration, character and materials of roofs, treatment of entrances, gradation of heights, relationship of indoor and outdoor spaces, design and placement of play areas, access parking arrangement and circulation, and landscape character and design. Plans submitted with Development Permit applications shall illustrate the aforementioned points.	X		The new building provides continuity of the existing two buildings for general architecture, style, scale, materials, roofs, heights, parking access, play area, and circulation as well as landscape character.
6. No more than four townhouse units shall be linked in a row unless warranted by special design treatment.		X	N/A
7. Where townhouse units have attached garages or carports, the units shall be wide enough to allow the creation of attractive entrances to the individual units between garages. Where lane access is available, parking entrances shall be limited to lane access.		X	N/A
8. Where individual townhouse or multi-family units have vehicular access via public street, combined driveway access points are required.	X		Vehicular access to public street is provided by parkade access ramp and surface parking drive isles.

9.	The design and siting of buildings and individual units shall take advantage of views, natural amenities and adjacent open spaces and shall provide the maximum of units with good sun exposure to enhance the liveability of units.	X		The building and units have views and access to natural amenities and open spaces with good exposure to sun
10.	Stepped or alternating massing shall be used in the design of buildings in order to break up the volume of the building(s) and to avoid a box like appearance.	X		The building is stepped at the 5th floor with large common roof deck and smaller roof projections at the sides
11.	Sloped roofs shall be encouraged to harmonize with surrounding residential areas.	X		Roofs harmonize with surrounding residential area.
12.	Building shall ensure visual privacy between units and also between private amenity spaces such as balconies or patios.	X		Privacy are used for units and amenities as required to ensure visual privacy.
13.	Where a development is to be constructed in several phases, the proposed phasing plan indicating the sequence and timing of construction shall be included as part of the development permit application.		X	No phases
В.	SIGNAGE	Yes	No	Explanation of Non-Conformity
1.	All signs shall conform to the City of Courtenay Sign Bylaw No. 2760, 2013 and all amendments thereto.	X		
C.	SITING, LANDSCAPING AND SCREENING	Yes	No	Explanation of Non-Conformity
1.	A Landscape Architect or registered professional shall prepare a plan which will incorporate plant species, quantities and installation suitable for the project.	X		
2.	A detailed landscaping and screening plan, drawn to scale and showing the type, size and location of proposed landscaping, shall be submitted with the development permit application.	X		
3.	Recreation and play areas shall be provided within each project and shall be sensitive to the needs of the all age groups likely to reside in the development.	X		
4.	Care will be taken in developments intended for family living to ensure that the fundamental needs of family living are not compromised. This includes adequate storage, places for outdoor play, attention to sound and sight separation, and safe convenient parking.	X		
5.	A continuous landscaped buffer area of at least 7.5 metres in width shall be provided along the inside of all property lines adjacent to Cumberland Road, 17 th Street, 29 th Street, Island Highway, Cliffe Avenue, Ryan Road and Lerwick Road. A perimeter landscaped buffer area of at least 4.5 metres in width shall be provided along the inside of all property lines adjacent to all other roads and at approved access points.	X		
6.	If a property is adjacent to the Agricultural Land Reserve boundary, a fence and landscaped buffer area of at least 10 metres in width shall be provided along the inside of the property line.		X	N/A
7.	Buildings shall be sited to ensure the privacy of residences and adjoining properties, retain view amenities, and minimize the impact of noise or other off-site effects. Noise attenuation fencing will be required adjacent to arterial and collector roads.	X		

8	Buildings shall be sited to retain existing tree stands and terrain as much as possible. Protective barriers, such as snow fencing, shall be installed around all existing plantings which will be retained at the drip line for the duration of construction. No material or temporary soil deposits may be stored within these areas.		X	N/A
9	Buildings shall be sited to ensure the privacy of residences and adjoining properties, retain view amenities, and minimize the impact of noise or other off-site effects, noise attenuation fencing or buffering will be required adjacent to arterial and collector roads.	X		
10	. Grading requirements of a development shall be resolved within the property boundary. Cut and fills shall be minimized and blended into the existing terrain. Stepped retaining walls shall be used where possible. Stepped foundation walls and floor levels for buildings shall be used on sloped sites. Slopes shall be determined to promote opportunity for re-planting.	X		
11	Buildings shall locate refuse containers, utility services, etc. to minimize visibility and they shall be screened by landscaping and fencing to a minimum height of 2 metres. In general, chain link fencing shall be used only when screened by landscaping. Similarly, utilities, meters, exhaust elements, satellite dishes, etc., shall be screened by landscaping, fencing or roof elements.	X		
12	. To separate internal roads, parking, service or storage areas from adjacent properties, a landscaped buffer area of at least 30 metres in width.		X	The Landscape buffer is as per drawings
13	. Development shall include installation of street trees and sidewalks along all adjacent streets. Boulevards of adjacent streets shall be landscaped, irrigated and maintained by adjacent developments.		X	The Landscape boulevard is as per drawings submitted.
14	. Undeveloped areas of the site shall be left in its natural state if there is substantial existing native vegetation. Otherwise, the owner will undertake vegetation control within 6 months of building occupancy satisfactory to the City.		X	N/A
15	. Any development adjacent to or near stream or wetland areas shall adhere to the requirements of the Streamside Stewardship, 1993 guidelines and the "Land Development Guidelines for the Protection of Aquatic Habitat 1992" prepared by the Department of Fisheries and Oceans and the Ministry of Water, Land and Air Protection along all streams and their tributaries.		X	N/A
16	. The City may require an environmental analysis of site conditions in areas subject to natural hazards such as slope slippage, drainage, or high vegetation value, prior to development.	X		
17	. It is City policy to limit the peak run off from areas of new development to that which the same catchment areas would have generated under the pre-development land use. A storm water management plan will be required as part of any development and shall be prepared by a Professional Engineer to comply with the City's stormwater management policies and plans and the City's Water Balance Model.	X		
18	. Setbacks areas abutting stream areas shall be fenced prior to development occurring to prevent encroachment of equipment or material into the stream system.		X	N/A

19.	A biophysical assessment of the site prepared by a professional biologist may be required outlining any environmental values to be protected during and after developments and the methods to achieve this to the satisfaction of the City and federal and provincial agencies.		X	N/A
20.	Prior to the subdivision or development of land containing a stream, the natural watercourse and surrounding area shall be considered for dedication to the Crown, the Municipality or other public agencies committed to the protection and preservation of natural watercourses		X	N/A
21.	The City will require the following minimum depth of topsoil or amended organic soils on all landscaped areas of a property: • shrubs – 450 mm • groundcover & grass – 300 mm • trees – 300 mm around and below the root ball	X		
22.	All landscape areas shall be serviced by an underground irrigation system.	X		
D.	LIGHTING	Yes	No	Explanation of Non-Conformity
1.	Lighting should be designated for security and safety. However, there should not be glare on neighbouring properties, adjacent roads or the sky.	X		
2.	All new, replacement and upgraded street lighting in existing and proposed developments will be Full-Cut Off/Flat Lens (FCO/FL) luminaries to light roads, parking, loading and pedestrian areas. Exterior building lighting will also be required to have FCO lighting fixtures.	X		
E.	PARKING	Yes	No	Explanation of Non-Conformity
1.	Large surface parking areas should be broken down into smaller parking lots evenly dispersed throughout the development and integrated with planted landscaped areas. Visitor parking spaces shall be clearly identified within each development. Tree Planting is required in parking areas.		X	Non conformity - Tree planting only in non parking areas as per drawings. Conformity of the remaining items
2.	Parking areas shall be screened from adjacent properties and from direct views of parking vehicles from the street. The screening should consist of landscaping and fencing.	X		
3.	Outdoor parking and loading areas should be located to the sides and rear of buildings. Parking areas shall include landscaped areas, defined by concrete curbs, to provide visual breaks between clusters of approximately ten stalls.	X		
4.	Direct and functional pedestrian pathways to connect building entrances to parking areas and sidewalks of the abutting streets shall be provided. Installation of features such as distinct paving, special landscaping with trees and benches, and overhead weather protection on exterior building walls where appropriate is required.		X	Non conformity - no benches on drawings Conformity of the remaining items